

# Bioconductor's aCGH package

Jane Fridlyand<sup>1</sup> and Peter Dimitrov<sup>2</sup>

May 14, 2004

1. Department of Epidemiology and Biostatistics, and Comprehensive Cancer Center,  
University of California, San Francisco, [jfridlyand@cc.ucsf.edu](mailto:jfridlyand@cc.ucsf.edu)
2. Division of Biostatistics, University of California, Berkeley,  
[dimitrov@stat.berkeley.edu](mailto:dimitrov@stat.berkeley.edu)

## Contents

<b>1</b>	<b>Overview</b>	<b>1</b>
<b>2</b>	<b>Data</b>	<b>1</b>
<b>3</b>	<b>Acknowledgements</b>	<b>12</b>

## 1 Overview

This document presents an overview of the aCGH package, which provides wide basic functions for reading, analyzing and plotting array Comparative Genomic Hybridization data (Snijders et al. (2001)). Specific example for reading data in is using output of the custom freely available programs, SPOT and SPROC (Jain et al. (2002)). These programs provide image quantification and pre-processing. Outputs of all the other image processing software need to be combined into a single file containing observed values for each clone and samples and then read in as a matrix.

## 2 Data

The data used in the example was generated in in lab of Dr. Fred Waldman at UCSF Comprehensive Cancer Center (Nakao et al. (2004)). Array CGH has been done on 125 colorectal fresh-frozen primary tumors and the associations with various phenotypes were analyzed. To reduce running time, only 40 samples are used in the examples.

This is where the examples start:

1. Creating aCGH object from log2.ratios and clone info files.

Each array CGH object has to contain the log2ratios representing relative copy number along with the mapping information including but not limited to clone name, chromosome and kb relative to the chromosome. Optionally there may be phenotypes associated with each sample.

```
> library(aCGH)
```

```
Loading required package: cluster  
Loading required package: repeated  
Loading required package: rmutil  
Loading required package: survival  
Loading required package: multtest  
Loading required package: sma
```

```
Attaching package 'aCGH':
```

The following object(s) are masked from package:stats :

heatmap

```
> datadir <- system.file("data", package = "aCGH")  
> clones.info <- read.table(file = file.path(datadir, "clones.info.ex.csv"),  
+   header = T, sep = "\t")  
> log2.ratios <- read.table(file = file.path(datadir, "log2.ratios.ex.csv"),  
+   header = T, sep = "\t")  
> pheno.type <- read.table(file = file.path(datadir, "pheno.type.ex.csv"),  
+   header = T, sep = "\t")  
> ex.acgh <- create.aCGH(log2.ratios, clones.info, pheno.type)
```

2. Printing, summary and basic plotting (fig.1) for objects of class aCGH.

```
> data(colorectal)  
> colorectal
```

aCGH object

```
Call: aCGH.read.Sprocs(sproclist[1:40], "human.clones.info.Jul03.csv",  
   chrom.remove.threshold = 23)
```

Number of Arrays 40

Number of Clones 2031

```
> summary(colorectal)
```

aCGH object

```
Call: aCGH.read.Sprocs(sproclist[1:40], "human.clones.info.Jul03.csv",  
   chrom.remove.threshold = 23)
```

Number of Arrays 40

Number of Clones 2031

Imputed data exist

HMM states assigned

samples standard deviations are computed

genomic events are assigned

phenotype exists

```
> plot(colorectal)
```




Figure 1: Heatmap of the clustered samples

```
> sample.names(colorectal)
```

```
[1] "sprocCR31.txt" "sprocCR40.txt" "sprocCR43.txt" "sprocCR59.txt"
[5] "sprocCR63.txt" "sprocCR73.txt" "sprocCR75.txt" "sprocCR77.txt"
[9] "sprocCR96.txt" "sprocCR98.txt" "sprocCR100.txt" "sprocCR106.txt"
[13] "sprocCR112.txt" "sprocCR122.txt" "sprocCR124.txt" "sprocCR131.txt"
[17] "sprocCR135.txt" "sprocCR137.txt" "sprocCR146.txt" "sprocCR148.txt"
[21] "sprocCR150.txt" "sprocCR154.txt" "sprocCR159.txt" "sprocCR163.txt"
[25] "sprocCR169.txt" "sprocCR178.txt" "sprocCR180.txt" "sprocCR186.txt"
[29] "sprocCR193.txt" "sprocCR200.txt" "sprocCR204.txt" "sprocCR210.txt"
[33] "sprocCR212.txt" "sprocCR217.txt" "sprocCR219.txt" "sprocCR227.txt"
[37] "sprocCR232.txt" "sprocCR244.txt" "sprocCR246.txt" "sprocCR248.txt"
```

```
> phenotype(colorectal)[1:4, ]
```

```
id age sex stage loc hist diff gstm1 gstm1 nqo K12 K13 MTHFR ERCC1
```

1	31	70	0	1	0	Adenocarcinoma	1	0	1	1	1	2	2	1
2	40	71	0	1	1	Adenocarcinoma	1	1	1	1	2	2	2	2
3	43	59	1	1	0	Adenocarcinoma	NA	1	1	1	2	2	2	1
4	59	72	0	2	1	Adenocarcinoma	1	1	1	1	2	2	1	NA
	bat26	bat25	D5S346	D17S250	D2S123						mi2		LOH	k12
1	0	0	0	0	0						0/1 unstable loci	negative		1
2	0	0	1	1	1	>2 loci	unstable, (NCI def)	negative						0
3	0	0	0	0	0						0/1 unstable loci	negative		0
4	0	0	0	0	0						0/1 unstable loci	negative		0
	K12AA	k13	K13AA	M677	M1298	p16	p14	mlh1	BAT26	mlh1c			mi	misum
1	GTT	0	.	1	0	1	0	1	0	0	0/1 unstable loci			0
2	.	0	.	1	0	0	0	0	0	0	>2 loci	unstable		3
3	.	0	.	1	0	2	0	0	0	0	0/1 unstable loci			0
4	.	0	.	0	1	0	1	0	0	0	0/1 unstable loci			0
	CGHSTAT													
1	Complete													
2	Complete													
3	Complete													
4	Not Done													

### 3. Reading Sproc files

Here we demonstrate reading of the sproc files and combining them into one array CGH object. Sproc file format is specific to the custom SPROC processing software at UCSF Cancer Center.

```
> datadir <- system.file("examples", package = "aCGH")
> latest.mapping.file <- file.path(datadir, "human.clones.info.Jul03.csv")
> ex.acgh <- aCGH.read.Sprocs(system(paste("ls -1", file.path(datadir,
+      "*.txt")), intern = T), latest.mapping.file, chrom.remove.threshold = 23)
```

```
Trying to read /homes/madman/R-1.9.0/library/aCGH/examples/sprocCR40.txt
Trying to read /homes/madman/R-1.9.0/library/aCGH/examples/sprocCR43.txt
```

#### Averaging duplicated clones

CTB-102E19	751 752
CTB-112F7	1827 1828
CTB-142024	1774 1775
CTB-339E12	1767 1768
CTB-36F16	1328 1329
CTD-2231J3	2066 2067
GS1-20208	718 719
RP1-97B16	283 284
RP11-119J20	439 440
RP11-13C20	172 173
RP11-149G12	894 895
RP11-172D2	907 908
RP11-175H20	900 901

RP11-176L22	202 203
RP11-188C10	896 897
RP11-1L22	166 167
RP11-204M16	861 862
RP11-20K4	1319 1320
RP11-221P7	902 903
RP11-238H10	935 936
RP11-23G2	195 196
RP11-247E23	197 198
RP11-261B20	483 484
RP11-268N2	892 893
RP11-30M1	185 186
RP11-31B6	2027 2028
RP11-39A8	177 178
RP11-47E6	189 190
RP11-72C6	1098 1099
RP11-81L7	152 153
RP11-83O14	898 899
RP11-94M13	960 961
RP11-99M6	905 906

```
> ex.acgh
```

aCGH object

```
Call: aCGH.read.Sprocs(system(paste("ls -l", file.path(datadir, "*.txt")),
  intern = T), latest.mapping.file, chrom.remove.threshold = 23)
```

Number of Arrays 2

Number of Clones 2102

4. Basic heatmap plot for batch of aCGH Sproc files. (fig.2)

5. Subsetting example

```
> cr <- colorectal[, 1:3]
```

6. Basic plot for the ordered log2 ratios along the genome

The relative copy number is plotted along the genome with clones placed in the genomic order (fig. 3). Chromosome Y is excluded.

7. Plotting hmm states.

For a given sample, each chromosome is plotted on a separate page along with its smoothed values(figs. 4). The genomic events such as transitions, focal aberrations and amplifications are indicated. The outliers are also marked.

```
> hmm(ex.acgh) <- find.hmm.states(ex.acgh)
> sd.samples(ex.acgh) <- computeSD.Samples(ex.acgh)
> genomic.events(ex.acgh) <- find.genomic.events(ex.acgh)
```

```
> plot(ex.acgh)
```




Figure 2: Basic heatmap plot for batch of aCGH Sproc files

```
Finding outliers
Finding focal low level aberrations
Finding transitions
Finding focal amplifications
Processing chromosome 1
Processing chromosome 2
Processing chromosome 3
Processing chromosome 4
Processing chromosome 5
Processing chromosome 6
Processing chromosome 7
Processing chromosome 8
Processing chromosome 9
Processing chromosome 10
Processing chromosome 11
```

```
> plotGenome(ex.acgh, Y = FALSE)
```




Figure 3: Basic plot for the ordered log2 ratios along the genome

```
Processing chromosome 12
Processing chromosome 13
Processing chromosome 14
Processing chromosome 15
Processing chromosome 16
Processing chromosome 17
Processing chromosome 18
Processing chromosome 19
Processing chromosome 20
Processing chromosome 21
Processing chromosome 22
Processing chromosome 23
```

8. Plotting summary of the tumor profiles(fig. 5). Here the distribution of various genomic events as well as their frequency by location is displayed.

```
> plotHmmStates(ex.acgh, sample.ind = 1)
```

**:/madman/R-1.9.0/library/aCGH/examples/sprocCR40.txt – Chr 1**




Figure 4: Plotting the hmm states found for ex.acgh object

9. Testing association of clones with sex, followed by plotting the p-values. Use `mt.maxT` function from `multtest` package to test differences in group means for each clone grouped by sex. Plot the result along the genome displaying the frequencies of gains and losses as well as height of the statistic corresponding to each clone (figs. 6 and 7.). The p-value can be adjusted and the horizontal lines indicate chosen level of significance.

```
> library(multtest)
> colnames(phenotype(colorectal))
```

[1]	"id"	"age"	"sex"	"stage"	"loc"	"hist"	"diff"
[8]	"gstt1"	"gstt1"	"nqo"	"K12"	"K13"	"MTHFR"	"ERCC1"
[15]	"bat26"	"bat25"	"D5S346"	"D17S250"	"D2S123"	"mi2"	"LOH"
[22]	"k12"	"K12AA"	"k13"	"K13AA"	"M677"	"M1298"	"p16"
[29]	"p14"	"mlh1"	"BAT26"	"mlh1c"	"mi"	"misum"	"CGHSTAT"

```
> sex <- phenotype(colorectal)$sex
```



```
> plotSummaryProfile(colorectal)
```




Figure 5: Plotting summary of the tumor profiles

```
> sex.na <- !is.na(sex)
> colorectal.na <- colorectal[, sex.na]
> dat <- log2.ratios.imputed(colorectal.na)
> resT.sex <- mt.maxT(dat, sex[sex.na], test = "t", B = 1000)
```

b=10	b=20	b=30	b=40	b=50	b=60	b=70	b=80	
b=110	b=120	b=130	b=140	b=150	b=160	b=170	b=180	b=190
b=210	b=220	b=230	b=240	b=250	b=260	b=270	b=280	b=290
b=310	b=320	b=330	b=340	b=350	b=360	b=370	b=380	b=390
b=410	b=420	b=430	b=440	b=450	b=460	b=470	b=480	b=490
b=510	b=520	b=530	b=540	b=550	b=560	b=570	b=580	b=590
b=610	b=620	b=630	b=640	b=650	b=660	b=670	b=680	b=690
b=710	b=720	b=730	b=740	b=750	b=760	b=770	b=780	b=790
b=810	b=820	b=830	b=840	b=850	b=860	b=870	b=880	b=890
b=910	b=920	b=930	b=940	b=950	b=960	b=970	b=980	b=990

```
> plotFreqStat(colorectal.na, resT.sex, sex[sex.na], titles = c("Female",
+ "Male"), X = FALSE, Y = FALSE)
```





Figure 6: Frequency plots of the samples with respect to the sex groups

10. Derive statistics and p-values for testing the linear association of age with the log2 ratios of each clone along the tumors

```
> age <- phenotype(colorectal)$age
> age.na <- !is.na(age)
> colorectal.na <- colorectal[, age.na]
> dat <- log2.ratios.imputed(colorectal.na)
> stat.age <- sapply(1:nrow(dat), function(i) {
+   if (i%100 == 0)
+     cat(i, "\n")
+   lm.fit <- summary(lm(dat[i, ] ~ age[age.na]))
+   c(lm.fit$fstatistic[1], 1 - pf(lm.fit$fstatistic[1], lm.fit$fstatistic[2],
+     lm.fit$fstatistic[3]))
+ })
```

```
> plotSummaryProfile(colorectal, response = sex, titles = c("Female",
+ "Male"), X = FALSE, Y = FALSE, maxChrom = 22)
```

**Number of Transitions 0.0950684 | Number of Chrom containing Transitions (**



**Number of Aberrations 0.841381 | Number of Whole Chrom Changes 0.01**




Figure 7: Plotting summary of the tumor profiles

100  
200  
300  
400  
500  
600  
700  
800  
900  
1000  
1100  
1200  
1300  
1400

1500  
1600  
1700  
1800  
1900  
2000

11. Here we create a `resT` object using the values derived above.

```
> resT.age <- data.frame(index = 1:ncol(stat.age), teststat = stat.age[1,  
+ ], rawp = stat.age[2, ], adjp = p.adjust(stat.age[2, ], "fdr"))  
> resT.age <- resT.age[order(resT.age$adjp), ]
```

12. Here we cluster samples within each phenotype using chromosomes 4, 8 and 9 and display the phenotype labels, in this case, sex (fig. 8).

### 3 Acknowledgements

The authors would like to express their gratitude to Drs. Fred Waldman and Kshama Mehta for sharing the data and to Dr. Taku Tokuyasu for quantifying the images. This work would not be possible without generous support and advice of Drs. Donna Albertson, Dan Pinkel and Ajay Jain. Antoine Snijders has played an integral role in developing ideas leading to the algorithms implemented in this package.

### References

- A. N. Jain, T. A. Tokuyasu, A. M. Snijders, R. Segraves, D. G. Albertson, and D. Pinkel. Fully automatic quantification of microarray image data. *Genome Research*, 12:325–332, 2002.
- K. Nakao, K. E. Mehta, J. Fridlyand, D. H. Moore, A. N. Jain, A. Lafuente, J. W. Wiencke, J. P. Terdiman, and F. M. Waldman. High-resolution analysis of dna copy number alterations in colorectal cancer by array-based comparative genomic hybridization. *Carcinogenesis*, 2004. Epub in March.
- A. M. Snijders, N. Nowak, R. Segraves, S. Blackwood, N. Brown, J. Conroy, G. Hamilton, A. K. Hindle, B. Huey, K. Kimura, S. Law, K. Myambo, J. Palmer, B. Ylstra, J. P. Yue, J. W. Gray, A. N. Jain, D. Pinkel, and D. G. Albertson. Assembly of microarrays for genome-wide measurement of dna copy number. *Nature Genetics*, 29, November 2001.

```

> plotvalGenome.func(colorectal, response = phenotype(colorectal)$sex,
+   titles = c("Female", "Male"), byclass = TRUE, showaber = TRUE,
+   vecchrom = c(4, 8, 9), dendPlot = FALSE, imp = FALSE)

```




Figure 8: Clustering of the samples by sex