

Package ‘describer’

October 13, 2022

Title Describe Data in R Using Common Descriptive Statistics

Version 0.2.0

Description Allows users to quickly and easily describe data using common descriptive statistics.

URL <https://github.com/paulhendricks/describer>

BugReports <https://github.com/paulhendricks/describer/issues>

Depends R (>= 3.1.2)

License MIT + file LICENSE

LazyData true

Suggests dplyr, testthat, lintr

NeedsCompilation no

Author Paul Hendricks [aut, cre]

Maintainer Paul Hendricks <paul.hendricks.2013@owu.edu>

Repository CRAN

Date/Publication 2015-09-17 22:50:04

R topics documented:

describe	2
describer	3
describe_nonnumeric	3
describe_numeric	3

Index	5
--------------	----------

describe

Describe atomic vectors or data.frames.

Description

describe takes vectors and data.frames and returns a data.frame containing important descriptive statistics.

Usage

```
describe(.x)

## S3 method for class 'numeric'
describe(.x)

## S3 method for class 'character'
describe(.x)

## S3 method for class 'data.frame'
describe(.x)

## Default S3 method:
describe(.x)
```

Arguments

.x a vector or data.frame to be described.

Value

a data.frame containing important descriptive statistics.

Methods (by class)

- numeric: Method for numeric.
- character: Method for character.
- data.frame: Method for data.frames.
- default: Method for default.

Examples

```
# Example
describe(mtcars)
describe(iris)
describe(state.name)
```

describer	<i>describer: Describe Data in R Using Common Descriptive Statistics</i>
-----------	--

Description

describer: Describe Data in R Using Common Descriptive Statistics

describe_nonnumeric	<i>Describe non-numeric atomic vectors.</i>
---------------------	---

Description

describe_nonnumeric takes non-numeric atomic vectors and returns a data.frame containing important descriptive statistics.

Usage

```
describe_nonnumeric(.x)
```

Arguments

.x a non-numeric atomic vector to be described.

Value

a data.frame containing important descriptive statistics.

Examples

```
# Example  
describe_nonnumeric(letters)
```

describe_numeric	<i>Describe numeric atomic vectors.</i>
------------------	---

Description

describe_numeric takes numeric vectors and returns a data.frame containing important descriptive statistics.

Usage

```
describe_numeric(.x)
```

Arguments

`.x` a numeric atomic vector or data.frame to be described.

Value

a data.frame containing important descriptive statistics.

Examples

```
# Example  
describe_numeric(1:100)
```

Index

describe, [2](#)
describe_nonnumeric, [3](#)
describe_numeric, [3](#)
describer, [3](#)
describer-package (describer), [3](#)