



Firmware Release Note

ZyXEL G-570S

Release V1.00(ZJ.3)C0 2006/12/06

Date: Dec 6th, 2006

ZyXEL G-570S Standard Version release V1.00(ZJ.3)C0|2006/12/06 Release Note

File Name:

Zyxel_G-570S_V1.00 (ZJ.3) C0_20061205.rmt (used by F/W upgrade)

Supported Platforms:

ZyXEL G-570S (HW0.2/0.6)

Software Base Versions:

V1.00 (ZJ.3) C0

Known Issues:

1. When fixed at 54Mbps, there are still control and management frame at 24Mbps
2. In wireless client mode, it takes 30 seconds to roam.
3. Multiple web/telnet log in is not forbidden.
4. The OTIST does not support WEP152

Notes:

V1.00 (ZJ.3) C0

Modification in 1.00 (ZJ3)C0 | 2006/12/06

1. Add WPA2-PSK security option in Bridge and Repeater mode

V1.00 (ZJ.2) C0

Modification in 1.00 (ZJ2)C0 | 2006/7/25

1. OTIST in Wireless Client is supported.
2. Add Manual MAC clone (MAC spoofing) function in wireless client mode.
3. Add Site Survey function in wireless client mode.
4. Add Status information at the button of the web Configurator.
5. Add the function to show Ethernet client IP addresses in the association list in wireless client mode.
6. Add Super G/Turbo G support in Bridge mode and Repeater mode.
7. Fix the bug of WPA/WPA2 compatibility function in wireless client mode.
8. Fix the bug of compatibility function with hidden AP in wireless client mode.
9. Fix the bug of system log function. Now G-570S will clear the oldest logged event when the number of logged event reached 100.
10. Fix the multi-lingual translation errors.

V1.00 (ZJ.1) C0

Modification in 1.00 (ZJ1)C0 | 2005/2/16

1. Correct German Web UI wording problem.

V1.00 (ZJ.0) C0

Modification in 1.00 (ZJ0)C0 | 2005/11/15

1. Modify for formal release.
2. 1st official release.